

OFFICE OF FINANCE
REFUND BRANCH

121 Reg for
refund
06-26-23

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO: MAIL STOP 16, DIRECTOR OF THE U.S. PATENT AND TRADEMARK OFFICE, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450, ON THE DATE INDICATED BELOW.

US PATENT AND TRADEMARK
OFFICE

BY: Monica M. Faneel

Date: May 8, 2003

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Patent Application of:
Arvo Poldmaa

: MAIL STOP 16

Conf. No.: 5206

: Group Art Unit: 3637

Appln. No.: 09/800,018

: Examiner: Dennis Dorsey

Filing Date: March 5, 2001

: Attorney Docket No.: 9764-8US

Title: ANCHOR FOR SAFETY ROPE

REQUEST FOR REFUND

Applicant's attorney is in receipt of a Deposit Account statement dated March 31, 2003 in which a charge in the amount of \$460.00 (Fee Code 2253 – three month extension of time) appears on March 5, 2003 for the above-identified application. A copy of the monthly statement is enclosed.

An Amendment along with a three-month extension (copies enclosed) was submitted via certificate of mailing on October 16, 2002 which was received by the USPTO on October 21, 2002 as per the enclosed copy of the return postcard. The three-month extension of time fee (\$460.00) was paid via Check No. 39526 (copy of both sides is enclosed) which was cashed by the USPTO. Since the Extension of Time fee was paid via check and small entity status was established upon the initial filing of this application, the additional charge on the deposit account is a duplicate.

Therefore, we respectfully request a credit in the amount of \$460.00 be issued to Deposit Account No. 50-1017.

RECEIVED ACCOUNTING
DIVISION
MAY 13 4:52

Respectfully submitted,

ARVO POLDWAA

May 8, 2003
(Date)

By: 

LOUIS SICKLES II

Registration No. 45,803

AKIN GUMP STRAUSS HAUER & FELD LLP

One Commerce Square

2005 Market Street, Suite 2200

Philadelphia, PA 19103-7013

Telephone: 215-965-1200

Direct Dial: 215-965-1294

Facsimile: 215-965-1210

E-Mail: lsickles@akingump.com

LS-II/mmhf
Enclosures

RECEIVED
DIVISION

2003 MAY 13 PM 4:52

COPY




UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office

MONTHLY STATEMENT OF DEPOSIT ACCOUNT

To replenish your Deposit Account, detach and return top portion with your check. Make check payable to Commissioner of Patents & Trademarks.

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231



Account No.	501017
Date	3-31-03
Page	1

AKIN GUMP STRAUSS HAUER & FELD, LLP
MONICA M. FARRELL
ONE COMMERCE SQUARE
2005 MARKET STREET, SUITE 2200
PHILADELPHIA PA 19103

PLEASE SEND REMITTANCES TO:
Patent and Trademark Office
P.O. Box 70541
Chicago, Ill. 60673

DATE POSTED			CONTROL NO.	DESCRIPTION (Serial, Patent, TM, Order)	DOCKET NO.	FEE CODE	CHARGES/ CREDITS	BALANCE
Q.	DAY	YR.						
3	3	03	8	5431484		2552	-1010.00	23244.00
3	3	03	10	5431484		1552	1010.00	22234.00
3	3	03	31	E-REPLENISHMENT		9203	-7285.00	29519.00
3	4	03	1	10049753	10573-1U1	1616	-70.00	29589.00
3	4	03	1	1714223		6203	100.00	29489.00
3	4	03	2	1714223		6206	100.00	29389.00
3	4	03	4	10049753		9204	-201.00	29590.00
3	5	03	1	09800018	209764-0008/	2253	460.00	29130.00
3	7	03	47	5950236		2551	445.00	28685.00
3	10	03	1	10119589	10407-011U3	1201	168.00	28517.00
3	12	03	3	09933702	6468-412	2201	42.00	28475.00
3	14	03	197	10231975	4110-182U1	1201	168.00	28307.00
3	19	03	2	E-REPLENISHMENT		9203	-3047.00	31354.00
3	21	03	6	PCT/US03/04663	10379-6W0	1603	450.00	30904.00
3	21	03	8	51304663		9204	-700.00	31604.00
3	21	03	69	10389042	245-188US	1202	84.00	31520.00
3	21	03	518	10380577	8861-456US (1613	900.00	30620.00
3	21	03	519	10380577	8861-456US (1615	180.00	30440.00
3	21	03	520	10380577	8861-456US (1614	1092.00	29348.00
3	21	03	521	10380577	8861-456US (8021	40.00	29308.00

2003 MAY 13 PM 4:52
RECEIPT ACCOUNTING
DIVISION

AN AMOUNT SUFFICIENT TO COVER ALL SERVICES REQUESTED MUST ALWAYS BE ON DEPOSIT.	OPENING BALANCE 22234.00	TOTAL CHARGES 5239.00	TOTAL CREDITS 12313.00	CLOSING BALANCE 29308.00
---	-----------------------------	--------------------------	---------------------------	-----------------------------

*** O.D. INDICATES OVERDRAWN

COPY

5/7/2003 3:51 PM

DOCUMENT HAS A COLORED BACKGROUND. SECURITY FEATURES LISTED ON BACK.

LSJ/msb 201764.0000/845 01/00,018

ACH, GUMP, STRAUSS, PAUER & FELD, L.L.P.
DISBURSEMENT ACCOUNT
A REGISTERED LIMITED LIABILITY PARTNERSHIP
INCLUDING PROFESSIONAL CORPORATIONS
1333 NEW HAMPSHIRE AVENUE, N.W.
WASHINGTON, DC 20038
(202) 887-4000

Chibank, Delaware
One Penna Way New Castle DE 19720

Check No. 39526

62-20311

DATE 10/18/2002

AMOUNT OF CHECK
\$ 460.00

PAY FOUR HUNDRED SIXTY AND 00/100 DOLLARS

010230511 405 03 6303 3561

VOID AFTER 6 MONTHS

TO THE ORDER OF DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

John N. Reary
AUTHORIZED SIGNATURE

#039526# #031100209# 38641612# #0000046000#

CDVolID/CIMSKey
20021031061401

Account
38641612

Serial Number
39526

Amount
\$460.00

Bank ID
3110020

Sequence
602039209

Location
CD

Paid Date
10/25/2002

Customer Data
0000000

2003 MAY 13 PM 4: 53

RECEIPT ACCOUNTING
DIVISION

I HEREBY CERTIFY THAT THE CORRESPONDENCE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO: ASSISTANT COMMISSIONER FOR PATENTS, WASHINGTON, D.C. 20231, ON THE DATE INDICATED BELOW.

BY:

Arvo Poldmaa

DATE:

10/16/02

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Patent Application of
Arvo Poldmaa

: Group Art Unit: 3637

Conf. No.: 5206

Appln. No.: 09/800,018

: Examiner: D. Dorsey

Filed: March 5, 2001

For: ANCHOR FOR SAFETY ROPE

: Attorney Docket
: No. 209764.0008/8US
: (10275/DD/SW)

COPY

PETITION FOR EXTENSION OF TIME UNDER 37 C.F.R. §1.136(a)

Applicant in the above-identified application hereby petitions for a three month extension of time to and including October 16, 2002 for responding to the Office Action mailed April 16, 2002. A response to the Office Action accompanies this Petition.

- ☒ A check in the amount of \$460.00 is enclosed herewith.
- ☒ The Commissioner is hereby authorized to charge Deposit Account No. 50-1017 (Billing No. 209764.0008) as noted below. A duplicate copy is enclosed.
- ☐ Extension fee in the amount of \$____.00.
- ☒ Any deficiencies or overpayments in the above-calculated fee.

Respectfully submitted,

ARVO POLDMAA

October 16, 2002
(Date)

By:

Louis Sickles II
LOUIS SICKLES II

Registration No. 45,803

AKIN, GUMP, STRAUSS, HAUER & FELD, L.L.P.

One Commerce Square

2005 Market Street - Suite 2200

Philadelphia, PA 19103-7086

Telephone: (215) 965-1200

Direct Dial: (215) 965-1294

Facsimile: (215) 965-1210

E-Mail: lsickles@akingump.com

LS-II/msb
Enclosure

201209 v1

RECEIVED
DIVISION
2003 MAY 13 PM 4:52

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO: ASSISTANT COMMISSIONER FOR PATENTS, WASHINGTON, D.C. 20231, ON THE DATE INDICATED BELOW.

BY: M. G. L. O. C. R. DATE: 10/16/02 PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re:	Patent Application of Arvo Poldmaa	COPY	: Group Art Unit: 3637
Conf. No.:	5206		:
Appln. No.:	09/800,018		: Examiner: D. Dorsey
Filed:	March 5, 2001		:
For:	ANCHOR FOR SAFETY ROPE		: Attorney Docket : No. 209764.0008/8US : (10275/DD/SW)

AMENDMENT

This Amendment is in response to the Office Action mailed April 16, 2002 (Paper No. 9) and is being filed within the third month of extension under 37 C.F.R. § 1.13(a) and 37 C.F.R. § 1.17(a). A Petition for Extension of Time to and including October 16, 2002 is filed herewith.

Please amend the above-identified application as follows without prejudice:

In the specification:

Please replace the paragraph beginning at page 4, line 10 with the following rewritten paragraph:

--Referring to figures 1 to 5, the anchoring device 10 comprises a ring 12, a rod 14, a lock nut 16 and a mounting 18. The ring 12 is secured to one end of the rod 14. The ring 12 and rod 14 may be formed integrally or may be separate pieces welded together. The mounting 18 is preferably made of aluminum. Preferably they are both of stainless steel. The rod 14 is tapered at 20 and increases in diameter from about 8mm adjacent the ring 12 to about

RECEIVED
DIVISION
2003 OCT 13 PM 4:52

13.7mm about 90mm from the ring. The taper may increase to a larger diameter, if desired. Preferably, the angle of the taper remains the same. The rod 14 then has a constant diameter portion 22 to its free end. A portion 22 of the constant diameter section is threaded. The constant diameter portion 22 is preferably about 60mm in length with the threaded portion 24 about 40mm in length. The lock nut 16 has an internal bore 26 threaded so as to receive the threaded portion 24 of the rod 14. The bore 26 may be threaded over only part of its length.--

Please replace the paragraph beginning at page 4, line 23 with the following rewritten paragraph:

The mounting 18 comprises a central receiving block 30 and two side wings 32, which are pivotally mounted on the block 30 by pins 34. Each of the wings 32 is provided with a series of holes 36 through which bolts or screws may pass.

In the claims:

Please replace claims 1, 4, 7, 10, 12 and 13 with amended claims 1, 4, 7, 10, 12 and 13 as follows:

1. **(Amended)** An anchor device for a safety rope, the anchor device including:
a rod or tube;
receiving means for receiving an end of a safety rope mounted on or integral with a first portion of the rod or tube; and
securing means for securing the device directly or indirectly to a building element;

wherein the rod or tube includes a tapered portion with the smaller end of the tapered portion nearest to the receiving means, said tapered portion deforming by progressively bending under sudden load applied to said receiving means.

4. **(Amended)** The device according to claim 3, wherein the securing means includes a second end portion located opposite the smaller end of the rod or tube.

RECEIPT ACCOUNTING
DIVISION

2003 MAY 13 PM 4:52

7. (Amended) The device of claim 6, wherein the at least one locking nut includes a non-threaded sleeve, which extends around a portion of the rod or tube.

10. (Amended) The device of claim 9, further including a mounting means, wherein the building element is sandwiched between the mounting means and the at least part of the securing means.

12. (Amended) The building element of claim 11 wherein the at least one location is a threaded bore.

13. (Amended) The building element of claim 12 wherein the at least one location is a bore sized to allow the securing means to pass therethrough to engage the mounting means and sandwich the building element between the mounting means and at least part of the securing means.

Attached hereto is a marked up version of the changes made to the specification and the claims by the current amendment. The attached page is captioned "Version with markings to show changes made."

REMARKS

After the foregoing amendment, claims 1-14, as amended, are pending in the application. Claims 11-13 have been withdrawn by the Examiner for further consideration in this prosecution. Claims 1, 4, 7, 10, 12 and 13 have been amended to more particularly point out and distinctly claim the subject matter which Applicant regards as the invention. Claims 15-16 have been canceled by preliminary amendment. Applicant submits that no new matter has been added to the application by the Amendment.

Objections to the Drawings

The Examiner objected to the drawings because they do not include reference sign 60 and because reference sign 18 has been used to designate both the locknut and the mounting. Applicant has attached a Submission of Proposed Drawing Amendment, including corrections to Figs. 2, 3, 6 and 7 for the Examiner's approval, with the corrections shown in red ink. Applicant

will file formal drawings in accordance with U.S. Patent and Trademark Office procedures, including corrections to Figs. 2, 3, 6 and 7, upon issuance of a Notice of Allowability. Applicant respectfully requests reconsideration and withdrawal of the objections to the drawings.

Objection to the Specification

The Examiner objected to the specification because the reference character 16 is used to designate both a rod and a locknut; and the phrase "wings" is designated by both reference characters 32 and 34. Applicant has amended page 4 for the Examiner's approval. Applicant respectfully requests reconsideration and withdrawal of the objections to the specifications.

Objection to Claim 10

The Examiner objected to claim 10 for being in improper form. Applicant has amended claim 10 to place claim 10 in proper form. Further, claim 10 is dependent on allowable amended claim 1 (see below). Accordingly, Applicant respectfully requests reconsideration and withdrawal of the objection to claim 10 and allowance thereof.

Rejection - 35 U.S.C. § 112

The Examiner rejected claims 4, 7, 12 and 13 under 35 U.S.C. § 112, second paragraph as being indefinite for failing to particularly point out and distinctly claim the subject matter which Applicant regards as the invention. Applicant has amended claims 4, 7, 12 and 13 to provide proper antecedent basis for the terms identified by the Examiner. Applicant respectfully requests reconsideration and withdrawal of the § 112 rejection to claims 4, 7, 12 and 13.

Rejection - 35 U.S.C. § 102

The Examiner rejected claims 1-2, 8-9 and 14 under 35 U.S.C. § 102 as being unpatentable over U.S. Patent No. 198,559 (Bear). Applicant respectfully traverses the rejection.

Bear discloses a hitching device consisting of a "stiff and strong standard" (col. 3, 3rd paragraph). At col. 2, 1st paragraph, the standard is further described as "rigid and vertical".

Applicant has amended claim 1 to recite, *inter alia*, "An anchor device for a safety rope, the anchor device including: ... a rod or tube; wherein the rod or tube includes a tapered portion with the smaller end of the tapered portion nearest to the receiving means, said tapered portion deforming by progressively bending under sudden load applied to said receiving means." The amendment to claim 1 is supported at the first and third paragraphs of page 2 and particularly at pages 7 and 8.

The present invention seeks to provide a measure of safety for a falling person rather than providing a mere hitching device. Accordingly, the rod of inventive device is designed to deform under the stress of a sudden load without sheering, thereby not only assisting in cushioning the effect of the restraining force of the anchor device on the falling person by spreading the energy of deceleration over a period of time but also decreasing the likelihood of failure of the device itself. Further the rod terminates in a tapered locking nut so as to move the primary point of deformation away from the point of attachment to the mounting, thus facilitating deformation of the rod and allowing progressive bending thereof.

In contrast to amended claim 1, Bear teaches a stiff/rigid standard. An artisan skilled in the art would understand stiff/rigid to mean that the standard would be designed to withstand a sudden force applied through the bridle to the standard without deformation. Amended claim 1 recites an anchor device progressively bending under sudden load. Applicants submit that Bear does not anticipate amended claim 1. Accordingly Applicant respectfully requests reconsideration and withdrawal of the §102 rejection of claim 1.

Further, it is respectfully submitted that since amended claim 1 has been shown to be allowable, claims 2, 8-9 and 14 dependent on claim 1 are allowable, at least by their dependency. Accordingly, for all the above reasons, Applicants respectfully request reconsideration and withdrawal of the § 102 rejection of claims 1-2, 8-9 and 14.

Claims 3-7

The Examiner objected to claims 3-7 as being dependent upon a rejected base claim but stated that claims 3-7 would be allowable if rewritten in independent form including all the limitations of the base claim and any intervening claims. Claims 3-7 depend from allowable claim 1. Accordingly, Applicant respectfully requests reconsideration and withdrawal of the objection to claims 3-7.

Conclusion

Insofar as the Examiner's objections and rejections have been fully addressed, the instant application, including claims 1-10 and 14, is in condition for allowance and Notice of Allowability of claims 1-10 and 14 is therefore earnestly solicited.

Respectfully submitted,

ARVO POLDMAA

October 16, 2002

(Date)

By: _____

LOUIS SICKLES II

Registration No. 45,803

AKIN GUMP STRAUSS HAUER & FELD, L.L.P.

One Commerce Square

2005 Market Street - Suite 2200

Philadelphia, PA 19103-7086

Telephone: (215) 965-1294

Facsimile: (215) 965-1210

E-Mail: lsickles@akingump.com

RECEIPT ACCOUNTING
DIVISION

2003 MAY 13 PM 4: 52

VERSION WITH MARKINGS TO SHOW CHANGES MADE

In the Specification:

The paragraph beginning at page 4, line 10 has been amended as follows:

Referring to figures 1 to 5, the anchoring device 10 comprises a ring 12, a rod 14, a lock nut 16 and a mounting 18. The ring 12 is secured to one end of the rod [16] 14. The ring 12 and rod 14 may be formed integrally or may be separate pieces welded together. The mounting 18 is preferably made of aluminum. Preferably they are both of stainless steel. The rod 14 is tapered at 20 and increases in diameter from about 8mm adjacent the ring 12 to about 13.7mm about 90mm from the ring. The taper may increase to a larger diameter, if desired. Preferably, the angle of the taper remains the same. The rod 14 then has a constant diameter portion 22 to its free end. A portion 22 of the constant diameter section is threaded. The constant diameter portion 22 is preferably about 60mm in length with the threaded portion 24 about 40mm in length. The lock nut 16 has an internal bore 26 threaded so as to receive the threaded portion 24 of the rod 14. The bore 26 may be threaded over only part of its length.

The paragraph beginning at page 4, line 23 has been amended as follows:

The mounting 18 comprises a central receiving block 30 and two side wings 32, which are pivotally mounted on the block 30 by pins 34. Each of the wings [34] 32 is provided with a series of holes 36 through which bolts or screws may pass.

In the Claims:

Claims 1, 4, 7, 10, 12 and 13 have been amended as follows:

1. (Amended) An anchor device for a safety rope, the anchor device including:
 - a rod or tube;
 - receiving means for receiving an end of a safety rope mounted on or integral with
 - a first portion of the rod or tube; and

RECEIPT ACCOUNTING
DIVISION

2013 MAY 13 PM 4:53

COPY

ATTY LS-II SECY usg PATENT RETURN POSTCARD
ATTY DKT # 201764.0008/845 TODAY'S MAILING DATE 10/16/02
EXPRESS MAIL # _____ CERT OF MAIL CERT OF SERVICE
PAT APP/PATENT/REEXAM/INTF# 09/800,018 **STPE**
OF Dr. Poldina **OCT 21 2002**
FOR: Anchor So Safety Rope
RECEIPT IS ACKNOWLEDGED BY THE USPTO FOR THE FOLLOWING:
____ PAT AP (PROV/NON-PROV/DES/REISSUE) ____ CPA REQUEST
____ DECL & POW (EXECUTED/UNEXECUTED) ☒ AMEND/REG RECONS/RESTR/REG RECONSE
____ PAGES TOTAL TEXT ____ RESPONSE TO MISSING PAPER
____ TOTAL # CLAIMS ____ INF.DISC.STMT. PTO-1449 & ____ REFS
____ SHEETS DRAWING (FORMAL/INFORMAL) ☒ PET.EXT.TIME 3 MONTHS + 1 copy
____ SEQUENCE LISTING (PAPER COPY/DISK) ____ ASSIGN/CHG NAME/MERGER/SEC. INT
____ COMPUTER CODE ____ PTO-1595 FORM
____ PRELIMINARY AMENDMENT ____ VERF.STATE - SMALL ENTITY
____ PRIORITY DOC. ____ NOTICE APPEAL/APPEAL BRIEF/(3 COPIES)
COUNTRY ____ NO. ____ SUPPL. DECL.
____ TRANSMITTAL LTR (US/PCT/NAT'L PHASE) ____ FEE AUTH (FINAL/MAINT/DISCLAIMER)
____ REV/APPT OF ATTORNEY ____ REQUEST (STATUS/CERTIF CORR/COR FILING RT/REFUND)
TOTAL FEES AUTH CHARGE DEP ACCT. # 50-1017 \$ 410⁰⁰ direct
OTHER (PAPER TITLE) Submission of Proposed Drawing Amendment.

RECEIPT ACCOUNTING
DIVISION

2003 MAY 13 PM 4:53